

MATA REGAL THEATRE – LANTERN LIST AT FEBRUARY 2026

Use this list in conjunction with the Generic Plot for their Bar locations, DMX and Desk Channel allocation, etc.

FOH BAR

4 X ETC Source 4 Zoom Profiles [15-30deg]
2 x ETC Source 4 Profiles [26deg]
3 x ETC Source 4 Profiles [19deg]
4 x Leko Profiles [16deg short] (22deg LongNose)

HOUSE SIDE BARS (each side)

4 x ETC Source 4 PARnel
1 x Strand Harmony [22-40deg] Zoom Profile [fitted with T/29 1.2K lamp]
1 x Strand Cantata [11-25deg] zoom Profile [fitted with T/29 lamp – 1.2K]

PERCHES (each side)

2 X Prolight Elumen8 Alu Hex Par 64 RGBWAUV
1 x Martin MAC250+ (spot moving head)
2 X Strand Quartet Fresnel

ADVANCE BAR

4 X Chauvet Maverick Force s Profile (moving head) (evenly spaced along the Bar)
1 x Source 4 Junior Zoom Profile [25-50deg] (at center of the Bar)
5 x Chauvet Ovation F-415FC Fresnel (zoom) (evenly spaced along the Bar)

LX BAR 1

8 x Strand Harmony PC (evenly spaced along the Bar)
3 x Source 4 Junior Zoom Profiles [25-50deg]
3 X ROBE LEDBeam 350 RGBW (moving head)

LX BAR 2

4 x Strand Harmony PC (evenly spaced along the Bar)
2 x Strand Cantata Fresnel's
1 x Source 4 Junior Zoom Profile [25-50deg] (at center of the Bar)
2 x Strand Prelude Profiles [22-49deg]

LX Bar 3

11 x Strand Coda1 1000w floods (evenly spaced along the Bar)
3 x CCT Minuette Fresnel

MID-STAGE BOOM (each side)

1 X Source 4 Junior zoom Profile [25-50deg]
2 x Prolight Elumen8 Alu Hex Par 64 RGBWAUV

2 x Tanktrap, (use where required)

FOLLOW SPOTS

1 x Strand Solo CSI
1 x Strand Patt 765 CSI
1 x Strand 818 Tungsten

DESKs

Lighting Control is a Zero88 Solution 48 channel desk, with an additional Fader Wing to control channels 101 upwards
A DMX 512-it is available for remote operation

DIMMERS

Dimmers are ADB Europack [FOH and Side Bars] located in Tech Store next to the Projection Box
2 x Chilli 24 channel Wall mounted Racks, and 1 x Chilli 12 channel, Wall mounted rack (feeding all stage sockets) located up on the old Lighting Perch SR
3 x Betapak 3 dimmer units (1 on the Perch and 2 side of stage on SR)
1 x 8 chanel DMX box is available

THEATRE BAR STAGE

6 dimmer circuits available
2 x ADB 500W Profiles
1 x CCT Minuette Fresnel
Lighting Control is a Botox 5 channel units controlling a single BetaPack dimmer located in the Cleaner's Cupboard

ADDITIONAL SPARE LANTERNS

Source 4 Profiles (various lenses (19, 26, 36, 50))
Source 4 Zoom (25-50deg)
Source 4 Junior Zoom Profile [25-50deg]
Source 4 PARnel
Longnose Parcans
Shortnose FloorCans
Harmony Fresnel
Harmony PC
Strand Prelude Fresnels
Strand Coda1 500W floods
Strand Coda1 1000W floods
CCT Minuette Profiles [3 x 26deg, 2 x 21-36deg zoom]
Leko 11deg Profiles (11, 16 22 degs)
Chauvet LED Slimpars RGBA
Prolight Elumen8 Alu Hex Par 64 RGBWAUV
Thomas Strobe
Coda 4 cell batten/ground row
Source 4 PARnel
Thomas 10 lamp M16 batten/ground row
Regal Lighting Assets February 2026.docx

MATA REGAL THEATRE – LANTERN LIST AT FEBRUARY 2026

Showtec Sunstrip 2 Stage Blinder, 700W 20 x MR-11 12V-35W
 PAR 36 Pinspot [4deg]
 Mirror Ball 30cm and Rotator
 iMove 5S ELC Moving Light [16deg]
 ledj Parcans RGB
 Martin 250+ (spot moving head)
 Martin 300 (wash moving head)
 Chauvet COLORband PiX ILS

LAMPS

Type	Lmn	Power (W)	Lantern Type
CP61	17000	1000	NS [10/14deg] - Parcan long & Short
CP62	17000	1000	MFL [11/24deg] - Parcan long & Short
CP88	6500	500	MFL [11/24deg] - Parcan Perches 500
CP95	15000	1000	WFL [70deg] – Parcan
T/29	29000	1200	Harmony & Cantata Profiles
T/26	14500	650	Quartets, Minuets, Preludes
T/27	14500	650	Quartets, Minuets, Preludes
T/25	11000	500	Quartets, Minuets, Preludes
T/19 or T11	21000	1000	Harmony Fresnel and PC
T/17	9500	500	Patt 123
HPL575	12000	575	Source 4 Junior, PARnel
HPL750	16000	750	Source 4 Profile
GKV	14500	600	Leko
R7	8700	500	Coda 1 & Coda 4
K3			Orion
M16 24V 35W	450	50	Thomas
M16 12V	450	50	Birdies 50W
MR11 12V 35W	250 x 20	35	Sunstrip 2 20
CID	70000	1000	Strand Patt 765 CSI
CID	70000	1000	Strand Solo
CP/43 92	52000	2000	Strand 818
MSD250/2	18000		MAC250+

LENS

Following are for the Source 4 Std Profiles (quantity spare variable depending on usage)

5 x 19 deg
 4 x 26 deg
 1 x 36 deg
 5 x 50 deg

Following are for the Source 4 PARnel's

Type	Deg	Equiv	Deg	Qty
VNSP	15	CP60	12	?
NSP	19	CP61	10/14	?
MFL	21/34	CP88	10/14	?
MFL	21/34	CP62	11/24	?

MATA REGAL THEATRE – LANTERN LIST AT FEBRUARY 2026

WFL	30/51	CP95	70	1
-----	-------	------	----	---